



**FRONTO
SLAT PANELS**

INTRODUCTION

FRONTO. SLAT PANELS 07

DESIGNER 08

DISCOVER A WORLD OF POSSIBILITIES 10

FRONTO SLAT PANELS

BENEFITS 12

TECHNOLOGY 16

COLOURS 21

INSTALLATION 34

PRODUCT FEATURES 36




FREEDOM OF CREATION

VOX is an innovative European brand in the interior design and home finishing industry and is a key brand of the VOX Capital Group. At VOX, we believe that true freedom begins at home and the place we live in makes a huge impact on our lives. That is why our goal is to continuously develop and deliver comprehensive solutions – from matching collections of wall systems, furniture, doors and floors, to the highest quality facade cladding and ceilings. In 2018, the VOX brand ventured into the Indian Market as VOX Building Products Pvt Ltd. VOX's presence in India spans over 250 cities with a strong network of distributors, dealers, and installers. The factory in India started the production in 2023.



FRONTO. SLAT PANELS

Fronto is a solution for façade and soffit. It is available in two shapes - classic lamella and asymmetric shape. Fronto panels are manufactured in two technologies: standard co-extrusion, which makes product perfect for interior use and innovative Max-3 technology. Thanks to it, the profile is extremely resistant to impacts and large temperature fluctuations. These properties make the product ideal for outdoor use. Fronto panels are waterproof, lightweight, maintenance-free, as well as quick and easy to install. This guarantees many years of trouble-free use. It is worth emphasizing that the panels are designed and manufactured in Europe.



DESIGNERS

For some time now, we have been able to observe an interest in spatialising walls in interiors, and dressing them with 3D decorative elements. Especially popular nowadays are slat panels, which are mostly used for decorating single walls. These walls have also slowly started to „come out“ from houses covering balcony niches or terraces. Interiors and exteriors exchange furniture, accessories, and wall coverings. Hence came the idea for Fronto, to develop a new panel with a modern lamella shape. When designing the profile, I wanted to achieve the deepest possible shading between the lamellas. As a result, thanks to specially designed joints, the shadow impressively exposes individual lamellas. In this way, we achieved an effective three-dimensionality.



DOROTA BALEWICZ



The V-Black collection is an attractive solution for finishing the exterior of a building. They give the facade a modern and elegant look while adding character and depth. The dark grouting contrasts with the patterns on the panels, creating a deepened 3D effect in the shape used. The introduced classic colour scheme of the panels with predominantly lighter oak patterns is a response to the modern and harmonious trend of being closer to the surrounding nature. In addition, panels with dark grouting can be easier to keep clean compared to light ones, which is important for facades exposed to external pollution.



NATALIA POLAKOWSKA



DISCOVER A WORLD OF POSSIBILITIES



Fronto is a versatile product that offers many design possibilities. The both shapes of the profiles allows vertical and horizontal installation. Additionally, it can be combined with other VOX facade panels. Thanks to the range of patterns imitating the structure of wood, this creates unique designs both on the wall and on the ceiling. Depending on the project, Fronto will work well on the entire building or as a single touch on the facade.



VERTICAL VERSUS HORIZONTAL



Fronto panels can be installed in two ways - vertically or horizontally. The former gives the wall a modern and elegant look and great visual effect. The latter, through an elongated arrangement of lines, gives the wall a calm rhythm.

Panels can also be used as a decorative element, if we cover only a selected fragment of the elevation by placing them horizontally or vertically.

ON THE WALL AND ON THE CEILING



DESIGNER
DOROTA BALEWICZ

„A sense of atmospheric cosiness can be achieved by laying panels on the wall and ceiling at the same time. This arrangement makes the sharp angle invisible, and the two perpendicular planes blend seamlessly and aesthetically.”

COMPREHENSIVE OFFER



Thanks to the universal connection and assembly system, we can combine different panel collections such as the Max-3 system and the Infratop soffit on the façade and ceiling. This creates almost unlimited possibilities for creating compositions on different planes. The varying width of the elements combined in an individual rhythm will create the visual unity for the house.

HARMONY IN THE INTERIOR



Fronto can also be installed indoors. Three-dimensional panels mounted on a flat surface will introduce a visual variety to your interior. Such a wall will look different at any time of the day thanks to the picturesque play of light and shadow. You can combine it with a ceiling of the same colour.

MODERN SOLUTIONS

HURRICANE RESISTANT LOCK

This solution ensures better adhesion of the panels to the façade, and eliminates the noise the panels make in strong winds.

SYSTEM CLICK

A simple and quick way to connect panels on the façade and soffit.

MOUNTING HOLES

Pre-drilled mounting holes make installation quick and easy.

3D EFFECT

Light plays in the folds of the panels, creating interesting chiaroscuro, and the joints appear darker, which further enhances the 3D effect.

SELF-CLEANING STRUCTURE

The façade is easy to keep clean thanks to the special structure of the panel, on which dirt and dust does not settle.



ADVANTAGES

DESIGN

A perfect reflection of the colour and grain of the wood.



WATER-RESISTANCE

Panels and finishes are waterproof.



CONSERVATION

It does not require maintenance, which is time-consuming and expensive.



DESIGN CAPABILITIES

The panels can be used both on the wall as well as on the ceiling.



LIGHTNESS

Panels are lightweight and do not weigh down the structure.



MADE IN EUROPE

The panels are designed and manufactured in Europe.





MAX-3 TECHNOLOGY

INNOVATIVE TECHNOLOGY

The three-layer technology used in the production of Max-3 makes the panels combine high mechanical resistance with the possibilities of the polymer material in terms of shape, colour and structure.

TEMPERATURE RESISTANCE

The panels are characterized by reduced linear expansion, which ensures their high resistance to both low and very high temperatures. Thanks to this property, panels made in the Max 3 technology can be used outdoors.

DURABILITY OF METAL

The base layer of the panel is its core, which gives it a test-proven durability comparable to metal. Importantly, Max-3 panels do not corrode and do not load the structure.



Three-layer technology is an innovative solution that has been patented by VOX

FIRST LAYER

guarantees shape stability and helps when carrying out installation, regardless of the ambient air temperature.

SECOND LAYER

provides the panels with increased resistance to mechanical damage

THIRD LAYER

responsible for UV resistance; wood texture; structure to limit contamination of the panel, thereby guaranteeing an excellent appearance of the facade for many years.



See the impact resistance test provided by the Max-3 technology.





VERSATILE COLOURS

Materials in wood colours are versatile, and offer many design possibilities. For this reason, they are often chosen for facade and ceiling finish. Thanks to the use of modern digital printing technology (Thermoprint), the panels have a matt finish, with an interesting and diverse pattern without the effect of repetition. Fronto is available in wooden decors and in wooden decors with dark grouts - V-Black collection. In the V-Black collection dark grouts emphasizes additionally 3D effect on the surface. All these features create a result which is closer to the perception of natural material. Wood-coloured facades and soffits blend well with other materials such as stone, plaster or brick.




DECORS AVAILABLE
IN REGULAR SHAPE




OAK
SVP / SXP 06




HONEY OAK
SVP / SXP 06



WINCHESTER OAK
SVP / SXP 06



GOLDEN OAK
SVP / SXP 06



WALNUT
SVP / SXP 06




POLAR OAK
SVP / SXP 06

UNIFORM DECORS
IN REGULAR SHAPE



BUTTERCREAM
SV / SX 06



LIGHT OLIVE
SV / SX 06



ANTHRACITE GREY
SV 06






DECORS AVAILABLE IN REGULAR SHAPE WITH DARK GROOVE



OAK V-BLACK
SVP / SXP 06



LIGHT OAK V-BLACK
SVP / SXP 06



GOLDEN OAK V-BLACK
SVP / SXP 06



WALNUT V-BLACK
SVP / SXP 06



FRONTO SLAT PANELS
SVP 24 OAK

DECORS AVAILABLE
IN ASYMMETRIC SHAPE



OAK
SVP 24



HONEY OAK
SVP 24



WINCHESTER OAK
SVP 24



GOLDEN OAK
SVP 24



WALNUT
SVP 24



POLAR OAK
SVP 24

UNIFORM DECORS IN ASYMMETRIC SHAPE



BUTTERCREAM
SV 24



LIGHT OLIVE
SV 24



ANTHRACITE GREY
SV 24



SV 24



SV 06

Anthracite Grey panels can be used as a main accent or combined with wood-like panels and panels with dark grout. To maintain their colour, they could be installed outside in shaded places as a ceiling lining or inside the buildings on walls and ceilings. Due to the use of very dark dyes, it should not be used in sunny places.

*The color is close to RAL 7016.



TROUBLE-FREE INSTALLATION

TYPICAL DESIGN AND TOOLS

The panels are mounted on a standard substructure (metal or wooden) without the need for special tools.

FINISHING TRIMS

Trims are versatile, and can be used in both Fronto and Max-3 panel installations as well as Infratop soffit.

INSTALLATION POSSIBILITIES

The panels can be installed in a variety of ways: vertically or horizontally, on the wall or ceiling, or combined with Infratop soffit panels or the Max-3 facade system.


FAST AND CLEAN

Slat panels mean clean installation with no dust during processing. The click system and pre-punched mounting holes streamline their connection, which greatly reduces installation time, outperforming plaster and wooden facades.




SYSTEM ELEMENTS


SV(P) 06 for indoor use
SXP 06 for outdoor use




SV(P) 24
for indoor use




SV 11
Starter trim




SV(P) 12
Outside corner




SV 11.5
Lower ventilation trim




SV(P) 12 V
Outside corner for
vertical installation




SV(P) 12.5
Outside corner mini




SV(P) 14
Finishing trim




SV(P) 15.5 IN
J trim




SV(P) 15
J trim




SV(P) 16.5
Drip edge



SV(P) 18
Joint trim



SV(P) 19
Facade flashing large



Scan QR code to see detailed
installation instruction.



PRODUCT FEATURES

FEATURE	NORM	TEST RESULT	UNIT
 Low weight Facilitates transport and mounting		SV(P) 06: 2,23 SV(P) 24: 2,23 SX(P) 06: 2,37	kg/m²
 Water resistance			
 Impact resistance	PN-EN 13245-2:2009/AC:2010	Not less then 3J (-20,03oC), 3J (23,03oC)	J
 Incombustibility It does not burn, it melts	PN-EN 13245-2:2009/AC:2010	D-s3;d0	
 Resistance to UV rays Colour resistance	PN-EN 20105-A02:1996 PN-EN 13245-2:2009/AC:2010	not more than 3 SV 06 / 24: A.8.60 SVP 06 / 24: A.4.60 SXP 06 : A.4.60	grayscale grade
 Lead and tin free			
 Resistance to changing weather conditions			
 Quick installation Wide covering width, built-in locks and factory made nail slots facilitate and speed up the installation			
 System Click Thanks to it, the assembly is easy and fast			
 Design possibilities The panels can be used both on the wall and on the ceiling.			
 Maintanace free No need for painting and other treatment			
 Easy to keep clean Can be clean with water and mild detergents			
 Recycled product 1 00% recyclable			
 10-year warranty on the product			

THINKING ABOUT NATURE



RECYCLING
Our products are made of thermoplastics, which are fully recyclable.



DURABILITY
Our products are extremely durable. The lifetime of many is 10 or even 30 years. Thanks to the resistance to a variety of external factors, their impact on the environment is significantly smaller than products with more frequent replacement causing additional wear raw materials, energy and waste generation.



MAINTENANCE
There is no need for maintenance over the entire lifetime, and therefore no additional chemicals (paints, preservatives, etc.) must be used, which means no harm to the environment.



INSULATION
Our claddings ensure proper ventilation of the facade and protect it against moisture. Additionally, they are an excellent cladding in the system of ventilated facades, which improves efficiency of heat of the building and reduces the need to burn fuels for heating purposes.



HEALTH
Our products are safe for health. They do not contain harmful substances (e.g. lead or cadmium) and do not release volatile organic compounds.

CERTIFICATIONS



The manufacturer reserves the right to make changes to the colours, dimensions, and functions of the presented products. This catalogue is published for reference purposes only. The catalogue presents sample designs from the product range. Some of the items presented in the layout photos are only used as decoration and are not for sale. Copying and distribution of any materials contained in the catalogue without the written consent of the publisher is prohibited. The colours in the catalogue may differ from reality. All data contained in the catalogue are valid in the month of printing – May 2025.



VOX INTERIORS AND EXTERIORS SOLUTIONS PRIVATE LIMITED
1202, 100 Road, HAL 2nd Stage, Indiranagar, Domlur, Bengaluru -560008, India
Ph No: +91 9528500500 / + 91 8043741810 WA No: 6366843663
E: customercare@voxindia.co voxindia.co



ISO 9001:2015
ISO 14001:2015
ISO 45001:2018

